

# FLOS

F3175059 Brass

## IC Lights S1

Designed by Michael Anastassiades, 2014



Halogen - 60W

Suspension lamp providing diffused light. Frame in brass, chrome, red burgundy or black. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E14
Iicos	HSGS
Number of heads	1
Power (W)	60

### Physical

Colour	Brass
Length (mm)	200
Cord length (mm)	2700
Canopy dimension (mm)	32
Canopy width (mm)	113
Net weight (kg)	1.75
Package volume (m3)	0.05
IP internal	20



### Download

[Mounting instructions](#) PDF

[Spare Parts](#) PDF

### Photometric Files


[LDT / IES](#) LDT

### Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



## Schematic light drawing



### Photometric

Lighting type	Total
Light distribution	Asymmetric

### Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No


## Bulbs



NOT INCLUDED

RF32290

LED Lamp E14 8W 2700K T28



NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28



NOT INCLUDED

RF32767

LED Lamp 9W E14 220-240V  
2700K T28




NOT INCLUDED

RF32768

LED Lamp 9W E14 220-240V  
3000K T28

## Spare Parts



- |     |  |           |
|-----|--|-----------|
| 01. | IC Lights 1 diffuser for brass version | F3136059  |
| 02. | S1/S2 brass ceiling rose assembly      | RF3170359 |
| 03. | Kit with screws and allen key          | RF3160100 |
| 04. | E14 lamp holder assembly               | RF3170100 |

**DOWNLOAD**



F3136059

IC Lights 1 diffuser for brass version



RF3170359

S1/S2 brass ceiling rose assembly



RF3160100

Kit with screws and allen key



RF3170100

E14 lamp holder assembly