

K-TABLE

DESIGN MASSIMO CASTAGNA

HENGE

STRUCTURE

Solidwood, thickness 8 cm handcrafted on a 45 degree angle.

FINISH

Heat treated woods or swamp woods as our samples, oil finish based on natural wax and water.

Desk use version with part of the top in leather from our range.

TECHNICAL DATA

2 BOARDS

Cm 240x79x75h

Cm 280x79x75h

3 BOARDS

Cm 260x103x75h

Cm 320x103x75h

1 BOARD

Cm 200x38x60h

Cm 220x38x60h

CONSOLLE

Cm 200x38x80h

Cm 220x38x80h

Cm 260x39x90h

DESK USE



Cm 240x79x75h

Cm 280x79x75h



Sizes can be customized.

TECHNICAL DRAWINGS

K-TABLE 2 BOARDS





K-TABLE 3 BOARDS







TECHNICAL DRAWINGS


K-TABLE 3 BOARDS



K-TABLE 1 BOARD



K-TABLE 2 BOARDS CONSOLLE



CARE AND MAINTENANCE OF WOOD

The woods used for our products are of the highest quality and manufactured with the greatest craftsmanship. As wood is a natural material, when placed in a very dry environment it loses humidity and consequently shrinks. In contrast, in a very humid environment wood acquires humidity, increasing in size. These subtle reactions are not flaws but natural movements of a 'living' product, which expands and contracts as the seasons change. Furthermore, the final moisture content of wood also varies according to use, for which particular care is required. For routine maintenance of wood, use a soft, damp, fluffy cloth, or a microfiber cloth. Stubborn stains cleaning wood and does not scratch. To thoroughly clean even the finest grain, follow the direction of the grain using a neutral pH detergent. Next, rinse with a well wrung out cloth and thoroughly dry all surfaces. It is advisable to use neutral pH products and to always test any product on a small hidden part of the object before using it on the outside. Wooden top are protected with a transparent stain resistant acrylic topcoat that do not require maintenance.

K-DRAWER

DESIGN MASSIMO CASTAGNA

HENGE

STRUCTURE

2 cm multilayer wood and traditionally hand-Burnished Brass


DRAWER

2 cm multi-layered wood lacquered matt color slate.
Soft-close slides.

TECHNICAL DATA

Cm 80x48x50h

TECHNICAL DRAWINGS



CARE AND MAINTENANCE OF WOOD

The woods used for our products are of the highest quality and manufactured with the greatest craftsmanship. As wood is a natural material, when placed in a very dry environment it loses humidity and consequently shrinks. In contrast, in a very humid environment wood acquires humidity, increasing in size. These subtle reactions are not flaws but natural movements of a 'living' product, which expands and contracts as the seasons change. Furthermore, the final moisture content of wood also varies according to use, for which particular care is required. For routine maintenance of wood, use a soft, damp, fluffy cloth, or a microfiber cloth. Stubborn stains cleaning wood and does not scratch. To thoroughly clean even the finest grain, follow the direction of the grain using a neutral pH detergent. Next, rinse with a well wrung out cloth and thoroughly dry all surfaces. It is advisable to use neutral pH products and to always test any product on a small hidden part of the object before using it on the outside. To apply the rejuvenating oil provided, carefully follow the instructions printed on the packaging. Bear in mind, however, that the treatment does not make the surface immune to the effects of acidic substances (such as lemon juice). Specific cleaner and care kit for wooden surfaces, including specific products and accessories is available upon request.

CARE AND MAINTENANCE OF METALS

Avoid leaving household liquids (oil, red wine, vinegar, etc.) on the surface. In particular, products that contain citric acid (present for example in fruit, citrus fruit and tomatoes) act on contact with the treated surface, removing its original sheen. Always clean stains while they are still fresh. For routine maintenance use a microfiber cloth and water. Do not use products containing acids, limescale removing substances or alcohol.